JURNAL FARMASI SAINS DAN KOMUNITAS, NOVEMBER 2020, 92-101 Vol. 17 No. 2
p-ISSN 1693-5683; e-ISSN 2527-7146
doi: http://dx.doi.org/10.24071/jpsc.001649

OPTIMIZATION OF OLIVE OIL, TWEEN 80, AND PROPYLENE GLYCOL OF SELF-NANOEMULSIFYING DRUG DELIVERY SYSTEM OF ZINC OXIDE BY D-OPTIMAL METHOD

Dian Eka Ermawati*), Wening Wulandari, Adi Yugatama

Department of Pharmacy, Sekolah Vokasi
Universitas Sebelas Maret, Surakarata, Indonesia

Received November 19, 2018; Accepted April 17, 2020

ABSTRACT

The incidence of skin cancer in Indonesia reaches 6-8%, so the skin needs effective protection. Zinc Oxide (ZnO) is a sunscreen with Sun Protecting Factor (SPF) 50 which is able to reduce exposure to Ultraviolet rays. ZnO is difficult to dissolve in water making an obstacle if dispersed in a hydro gel matrix, so it is formulated into a Self-Nanoemulsifying Drug Delivery System (SNEDDS) preparation. SNEDDS formula was made using tween 80 as surfactant, propylene glycol as a co-surfactant, and olive oil. The optimum proportion of the three components was optimized with the D-Optimal method using Design Expert Stat-Ease 9 Trial software. Software obtained 16 formulas which were tested for physical stability response: transmittance value (%) and pH value. SNEDDS optimum formula was compared with the D-Optimal prediction formula using the student's t-test statistical analysis ($p>0.05$), the loading dose of ZnO, Particle Size Analysis, and Zeta Potential. The optimum proportion of propylene glycol, tween 80, and olive oil making up SNEDDS were 9.9%: 81%: 9.1% respectively. The result of the percent transmittance response was 92.30% and the pH value was 7.20. Software prediction results: transmittance value was 92.59% and pH value was 7.37. Statistical analysis of one sample t-test showed no difference between observations and D-Optimal predictions. SNEDDS was able to load 2.0 mg ZnO/gram SNEDDS with a particle size of 150.2 nm; polydispersity index of 0.54 and zeta potential of -28.50 mV. The SPF value of SNEDDS ZnO was 16.

Keywords: D-Optimal; SNEDDS; UV protective; ZnO.

INTRODUCTION

Indonesia is a tropical country that is crossed by the equator line. This situation causes the region of Indonesia to be always exposed to sunlight with high intensity, where the sunlight contains ultraviolet (UV). UV light A (320-400 nm) can penetrate the deeper layers of the skin to the dermis and could cause aging, pigmentation, erythema, tanning, and DNA damage due to the presence of reactive oxygen compounds or ROS (Reactive Oxygen Species). UV B (290-320 nm) could penetrate into top surface layer of the skin and cause DNA damage. Whereas UV C (100-290 nm) could be filtered by the atmosphere and it could not penetrate to the surface of the earth (Cefali *et al*., 2016; Kulkarni *et al*., 2014). Human's skin, when getting too much exposure of UV rays for a long period, will be susceptible to cancer, sunburn, eye damage such as cataract and melanoma, premature skin aging, pigmentation, erythema, and also immune system damage (Lolo *et al*., 2017; Kockler *et al*., 2012).

World Health Organization (WHO) in 2015 estimated that the incidence of non-melanoma cancer increased by 300.000 cases due to ozone depletion. The incidence of skin cancer in Indonesia reaches 6-8% (Suharyanto and Prasetyo, 2004). Therefore, skin needs

*Corresponding Author: Dian Eka Ermawati
Email: *dianekaerma@gmail.com*

protection against UV light. ZnO is one of the materials which are able to absorb the sun's spectrum with light quantum better than TiO2 which has an SPF value of 45-50 (Hutabarat, 2012). The SPF (Sun Protecting Factor) value has a range between 2 to 60. ZnO has an SPF value of 50 (Cosmetics Formulary, 2012). Dermatologists recommend using sunscreen at least at SPF 15-30 (Charisma, 2012) to protect skin from UV light. ZnO has a physical action by reflecting UV light.

ZnO powder is water insoluble and has a cloudy white physical appearance which is a problem if dispersed into a hydro gel matrix. Colloidal dispersion of ZnO is one of resolves to disperse ZnO into hydro gel matrix to form transparent appearance, and reduce the side effects of skin irritation when using ZnO with a concentration of more than 10% (Martorano, 2010). SNEDDS (*Self-Nanoemulsifying Drug Delivery System*) is a technique to reduce the particle size of water insoluble material such as ZnO. SNEDDS is an isotropic mixture of oil, surfactant and co-surfactant that would form nanoemulsion of oil in water without stirring. The SNEDDS formula consist of olive oil, tween 80 as surfactant, and propylene glycol as co-surfactant. The oil requirement in the SNEDDS is medium-long chain oil such as candlenut oil, coconut oil and olive oil. Tween 80 is hydrophilic with Hydrophil Lipophil Balance (HLB) value of 15 and to get the result of percent transmittance value of SNEDDS preparations more than 90% (Diba *et al*., 2014). The higer concentration of surfactant could decrease the particle size of ZnO. Propylene glycol helps the surfactant to reduce the surface tension between oil and water so able to reduce the ZnO particle size.

The proportions of composition of olive oil, tween 80, and propylene glycol in SNEDDS formula are not yet known with certainty so optimization is performed. SNEDDS of ZnO formula optimization in this study was carried out using a D-Optimal mixture design (D-Optimal mixture design). D-Optimal is a method that is widely used in formulations, especially in cosmetics, pharmaceuticals, and food. The advantage of using the D-Optimal method is that it could reduce the number of experimental treatments (Borhan *et al*., 2014). In addition, the costs used are lesser due to the small number of experimental treatments (Zen *et al*., 2015).

METHODS

Materials

ZnO cosmetics grade (Zochem, Canada), distilled water, olive oil (Maroco), propylene glycol (DOW, New York), Tween 80 (Hercules).

Compatibility test of ZnO with SNEDDS components

Amount of 10.0 mg of ZnO was added to Eppendorf which contained 5.0 grams of total system consisting of olive oil, tween 80, and propylene glycol. The mixture was vortexed for 10 minutes then incubated in a shaker incubator at 45±2°C for 15 minutes. Insoluble ZnO was separated by centrifuge at 5000 rpm for 20 minutes. The supernatant formed was filtered and dissolved with ethanol. The test was carried out with replication of 3 times and analyzed with spectrophotometer UV-VIS (Khan *et al*., 2015). A solution that was visually clear and had a transmittance value of more than 80% was a compiler component of SNEDDS that was compatible with ZnO. Distilled water was used as blank.

Experimental design

Determination of the upper and lower limits was done by comparison of oil: surfactant: co-surfactant starting from 1: 1: 1 to 1: 9: 1 with percent transmittance value as clarity parameters. The SNEDDS formula design was performed using Design Expert Stat-Ease 9 Trial software with the D-Optimal method. The main components of SNEDDS were oils (Olive oil), surfactants (Tween 80), and co-surfactants (Propylene glycol). The three criteria for free variables were set as the lower limit (low) and the upper limit (high) described in table 1. The responses tested including percent transmittance value (%) and SPF values entered in the D-Optimal method using DX software.

Table 1. Upper and lower limit value of SNEDDS formula entered in DX software

Materials	Lower limit (%)	Upper limit (%)
Olive oil	9.09	11.11
Tween 80	77.77	81.81
Propylene Glycol	9.09	11.11

Optimization of SNEDDS formula using D-Optimal method

Software Design Expert Stat-Ease 9 Trial would design 16 formulas after determining the upper and lower limits of the components of the SNEDDS formula. All ingredients were weighed (Table 2), then ZnO with the prescribed dose was dissolved into the SNEDDS formula into flacon disk. The mixture was homogeneous with vortex for 3 minutes and sonicated for 10 minutes. This sonication method was carried out to help reduce the size of the emulsion droplets. The SNEDDS ZnO mixture was then incubated using water bath at temperature of 45°C for 15 minutes until homogeneous. SNEDDS was stored at room temperature during the characterization process (Savale, 2015; Ke *et al*., 2015).

Physical responses of SNEDDS ZnO

Transmittance Test (%): amount of 1.0 mL SNEDDS was dissolved with redistilled water ad 50 mL at room temperature, then vortex for 3 minutes until homogeneous. Percent transmittance was measured using Spectrophotometer UV-VIS at maximum wavelength of λ 650 nm with the redistilled water as a blank (Winarti *et al*., 2016). The pH Value Test: amount of 1.0 mL SNEDDS was dissolved with 9.0 mL redistilled water then the pH value was checked using pH meter.

Loading dose of ZnO into SNEDDS formula

The loading dose was determined by varying the amount of ZnO starting from 2 mg; 3 mg; 5 mg; 8 mg; and 10 mg per gram of SNEDDS (total weight of SNEDDS formula was 5.0 g) then dissolved at 50 mL redistilled water into disk at room temperature, then vortex for 3 minutes until homogeneous. Percent transmittance was measured using Spectrophotometer UV-VIS at maximum wavelength of λ 650 nm with the redistilled water as a blank (Winarti *et al*., 2016). Mixture formula with high percent transmittance value was chosen as optimum loading dose of ZnO into SNEDDS.

Optimum formula of SNEDDS ZnO

The optimum formula of SNEDDS was determined using Design Expert Stat-Ease 9 Trial software with D-Optimal method. The SNEDDS formula consist of oil, surfactants and co-surfactants were evaluated by percent transmittance value (%) and pH values. ANOVA statistical analysis with p-value $\leq$ 0.05 (Winarti *et al*., 2016; Gohel *et al*., 2016) for analysis and included into software, then characterization of optimum formula with software prediction was verified using one sample t-test analysis with IBM SPSS Statistics 22 software. The particle size distribution for the optimum formula of SNEDDS ZnO was also checked using a particle size analyzer (PSA) in the Nanotechnology Department of the Faculty of Mathematics and Natural Sciences, Islamic University of Indonesia, Yogyakarta. Amount of 1.0 mL SNEDDS ZnO was dissolved with redistilled water ad 50 mL then vortexed for 3 minutes until homogeneous. The emulsion formed was taken by 3.0 mL and was put into a cuvette for analysis. Replication was carried out 3 times for each test (Jevana and Sreelaksmi, 2011). The optimum SNEDDS ZnO was observed under SEM (Scanning Microscope Electron) to determine the distribution of ZnO nano particles into SNEDDS.

RESULTS AND DISCUSSION

Optimization of composition of olive oil: tween 80: propylene glycol was carried out to obtain the optimal proportion that was able to form colloidal dispersion so as to reduce the size of ZnO particles. The upper and lower limits of the concentration of each component were determined based on a preliminary test in

order to obtain the optimum percentage range with the D-Optimal method using the Design Expert Stat-Ease 9 Trial software according to the desired criteria. Three components in determining the composition of the SNEDDS formula consisting of olive oil (A), tween 80 (B) surfactant, and propylene glycol (C) co-surfactant were determined as independent variables with percent transmittance values (%) and pH value as response variables. The independent variables that had been carried out in the previous orientation had lower limits and upper limits range of 9.09-11.11% (A), 77.77-81.81% (B), and 9.09-11.11% (C). The use of oil and co-surfactants to produce a good SNEDDS formula was less than 20% and surfactants reached 60% (Cerpnjak *et al*., 2013). The results obtained from D-Optimal were 16 run formulas with different compositions of oil; surfactant; co-surfactant where the total of each component was 100% and total weight of SNEDDS formula was 5.0 grams.

The loading dose was carried out to determine the maximum amount of ZnO that could be dispersed into SNEDDS. ZnO loading dose test results that could be completely dispersed was at a dose of 2.0 mg/g SNEDDS. ZnO was perfectly dispersed when it has clear visual appearance, homogeneous, and there are no deposits in SNEDDS. Propylene glycol is a co-surfactant that is often used in cosmetic preparations where the use of co-surfactants could reduce the flexibility of surface tension so that it has enough flexibility to form nanoemulsions with large compositions (Senapati *et al*., 2016).

Physical characteristics parameters include the percent transmittance value, where the higher value of percent transmittance which is close to the water transmittance value (100%) indicates a smaller particle size (Ahmad *et al*., 2014). The results of percent transmittance value from 16 run formulas ranged from 54.75% to 95.02%. The higher transmittance value indicated the smaller particle size, so the solution appearance was clear (Table 2). Clear visual appearance with transmittance value of more than 80% could be categorized as nanoemulsion (Fratter, 2016; Winarti *et al*., 2016). The pH value determines the chemical stability of the preparation and the suitability of the formula for the pH of the skin as to not to cause allergic reactions. The range of pH value from 16 run formulas were 4.0-7.5 indicating that SNEDDS ZnO pH was suitable for the human skin (Gurning, 2016).

Experimental designs were often used in research designs because they provide maximum information with only requiring a small amount of experimentation. D-Optimal is a method that was used to optimize the proportion of components formula. The amount of olive oil (A), surfactant: tween 80 (B), and co-surfactant: propylene glycol (C) were chosen as the independent factor. The mixture profile was determined by D-Optimal based on the Bolton equation, where Y was the response, ABC were the proportion of the components, and α was the coefficient:

$$Y = \alpha 1\,(A) + \alpha 2\,(B) + \alpha 3\,(C) + \alpha 12\,(A)\,(B) + \alpha 13\,(A)\,(C) + A23\,(B)\,(C) + \alpha 123\,(A)\,(B)\,(C) \ldots. \quad (1)$$

Table 2. Results of formula analysis with D-Optimal method using DX Stat-Ease 9 Trial software that produced 16 run formulas and response parameters of physical properties: percent transmittance and pH value

Run	Olive Oil (%)	Tween 80 (%)	Propylene glycol (%)	Transmittance (%)	pH
1	10.11	80.81	9.09	68.11	7.34
2	10.10	78.79	11.11	66.59	7.33
3	9.09	79.80	11.11	95.02	7.27
4	9.09	80.81	10.11	94.28	7.53
5	11.11	79.80	9.09	69.05	7.42
6	11.11	78.79	10.10	62.28	7.40

Run	Olive Oil (%)	Tween 80 (%)	Propylene glycol (%)	Transmittance (%)	pH
7	9.50	81.00	9.50	90.44	7.29
8	11.11	77.78	11.11	81.70	7.54
9	11.11	77.78	11.11	81.81	7.55
10	10.00	79.50	10.51	63.82	6.82
11	11.11	79.80	9.09	69.29	7.61
12	9.09	81.81	9.10	89.56	7.58
13	11.11	78.79	10.10	63.89	7.41
14	9.90	80.20	9.90	54.75	6.91
15	9.09	79.80	11.11	82.87	7.43
16	9.09	81.81	9.10	89.71	7.68

*****SNEDDS system with 5.0 grams amount

Anova is a statistical analysis that explains about the percent transmittance response with cubic models and pH with quadratic models. The model shows the effect of using the composition of oil phase, surfactant, and co-surfactant of each formula which has significant differences that could be known from the ANOVA analysis contained in the software ($p>0.05$). Table 3 showed the mixture of oil, surfactants and co-surfactants to the transmittance response parameters and pH value of SNEDDS, where there was an interaction between olive oil, tween 80 and propylene glycol which the highest value was propylene glycol with the value of -4513.94, it means that concentration of propylene glycol could decrease the transmittance value. The combination of the three components in mixture formula also provided a response to decrease the transmittance value. This was possible because ZnO component can refract the light during the transmittance test using the spectrophotometry UV-VIS method. The pH value response parameter has a quadratic model where there was an interaction between two components in the mixture with the highest response value was oil that valued of +27.56, it means that concentration of oil would increase the pH value.

The numbers in the triangle show the composition of oil, surfactants and co-surfactants in the modeling. The highest response is shown in the red area; the lower response is shown in the yellow area and the lower one is in the green and blue area (Figures 1 and 2). The solution chosen was the one with the highest desirability value that was closed to 1.0, result of software analysis based on the chosen criteria was 0.84 meaning that the formula would produce physical characteristics which was optimal according to the desired target. The proportion of the optimum composition of oil, surfactant and co-surfactant was 9.1%: 81%: 9.9%.

Table 3. Results of software analysis into mathematics model based on physical properties and ANOVA statistical analysis

SNEDDS response of physical properties	Mathematics Equation	Mathematics Model	*p-value* [ANOVA]
Percent transmittance (%)	-3652.73(A)-111.78(B)-4513.94(C)+52.39(A)(B)+523.42(A)(C)+63.31(B)(C)-6.78(A)(B)(C)	*Cubic*	0.053
pH	27.56(A)+0.70(B)+14.70(C)-0.35(A)(B)-0.45(A)(B)-0.18(B)(C)	*quadratic*	0.077




Figure 1. Results of Contour plot diagram showed that the optimum pH response parameter area was in the range of 6.82-7.68 with red color area




Figure 2. Results of Contour plot diagram showed that optimum percent transmittance response parameter area was almost 95.02% with red color area

Table 4. Results of observation value of SNEDDS ZnO optimum formula compared with Software Prediction value

Respons of physical properties	D-opt prediction	Observation results	*Sig-value*
Transmittance (%)	92.59	92.30	0.053
pH	7.37	7.20	0.077

The software predicted value which was obtained from the D-Optimal method shows that the confidence level of prediction interval of 95% if compared with the response value of the observations for the optimal formula using statistical analysis. The criteria that were given were maximized for percent transmittance value and target for pH value. Based on the test results as presented in table 4, the response percentage of transmittance (clarity)

and pH value from the observation of the optimal formula did not differ significantly from the predicted values given by the Design Expert Stat-Ease 9 Trial software (p-value>0.05).

Measurement of particle size and zeta potential of SNEDDS ZnO optimum formula

The nanoemulsion droplet size of ZnO into SNEDDS was 150.2 nm with a polydispersity index value of 0.54. The recommended PI value requirements indicate that the particles in the SNEDDS formula are stable and reduce the possibility of deposition because brown motion of ZnO particles are rapidly. PI values that meet the observed PI value was quite good and still met the good PI standard value.

PI in particle measurement was used to describe the homogeneity of nanoemulsion particles which have a range of 0.0 to 1.0 (Pratiwi *et al*., 2016). The small particle size could increase the surface area of the particle so it could increase absorption of the drug when it was applied on skin surface area. Nano size in the droplets would reduce the time of emulsification (Bandyopadhyay *et al*., 2012).

Low polydispersity index value shows a narrow particle size distribution meaning that the particle size in the SNEDDS was uniform (Avachat and Patel, 2014). Uniform particle size could increase homogeneity of ZnO when dispersed into SNEDDS and would be also absorbed faster with relatively the same speed (Balakumar *et al*., 2013). The potential zeta value obtained from SNNEDS ZnO was -28.5 mV. SNEDDS with the potential zeta value in range of more than +30 mV and less than -30 mV would produce relatively stable preparations.

This negative potential zeta value indicates that the SNEDDS formula has a negative charge and it was sufficient to counteract the repulsive force so that it would produce a stable preparation (Dash *et al*., 2015). The range of potential zeta values to maintain stability was less than -30 mV or more than +30.

Sun protective factor (SPF) value and scanning electron microscope (SEM) of SNEDDS ZnO optimum formula

SEM results at 100 times magnification showed that ZnO powder had an irregular surface shape and formed an aggregate, whereas on SNEDDS ZnO showed smaller particle sizes and uneven agglomerated in SNEDDS. The smaller the particle size would increase the specific surface area of the particle, thereby increasing the particle distribution (Figure 3). The SNEDDS formula (olive oil: tween 80: propylene glycol) has an SPF value of 5.0 while SNEDDS ZnO has an SPF value of 16. Research Idaho (2008) stated that sunscreen was recommended at least 15 minutes that a person has natural resistance to sunlight for 30 minutes (Moore, 1982).




Figure 3. Results of SEM analysis using carbon coating. ZnO powders (a); SNEDDS ZnO (b) at 100 times magnification showed that ZnO powder had an irregular surface shape and formed an aggregate, whereas on SNEDDS ZnO showed smaller particle sizes and uneven agglomerated in SNEDDS

CONCLUSION

The optimum proportion of composition based on D-Optimal method with physical characteristics of transmittance and pH value was olive oil: tween 80: propylene glycol of 9.1%: 81%: 9.9% where the interaction of olive oil and propylene glycol would increase the transmittance value but reducing the pH value. SNEDDS ZnO optimum formula result of the percent transmittance value was 92.30% and pH value of 7.2. D-Optimal prediction value for percent transmittance value was 92.59% and pH value of 7.37. The results of the one sample t-test statistical analysis showed that there was no difference between the observations and D-Optimal predictions value. SNEDDS optimum formula was capable load of 10 mg ZnO particle with SPF value of 16. The particle size of SNEDDS ZnO was 150.2 nm; polydispersity index of 0.54; zeta potential of -28.50 mV; and SPF value of 16. As further studies, SNEDDS ZnO would be dispersed into the hydrogel for topical preparations that is used as UV Protection.

ACKNOWLEDGEMENT

Mandiri Aktif Research Grant from LPPM (Lembaga Penelitian dan Pengabdian Masyarakat) Universitas Sebelas Maret 2018.

REFERENCES

Borhan, F.P., Gani, S.S., Shamsuddin, R. 2014. The Use D-Optimal Mixture Design in Optimising Okara Soap Formulation for Stratum Corneum Application. *The Scientific World Journal*, (173979), 1-8.

Cefali, L.C., Ataide, J.A., Moriel, P., Foglio, M.A., Mazzola, P.G. 2016. Plant Based Active Photoprotectants Winarti for Sunscreens, *International Journal Of Cosmetic Science*, 38(4), 346-353.

Charisma, S.L. 2012. Daya Tabir Surya dan Antioksidan Formula Krim Ekstrak Rimpang Kencur (Kaempferia galanga L.) dan Rimpang Temu Kunci (Boesenbergia pandurata (Roxb.) Schlecht), Universitas Muhammadiyah Purwokerto, Purwokerto.

Cerpnjak, K., Zvonar, A., Gasperl, M., Vrecer, F. 2013. Lipid-based System as a Promising Approach for Enhancing the Bioavailability of Poorly Water-Soluble Drugs. *Acta Pharmaceutica*, 63, 427-445.

Dash, R.N., Habibuddin, M., Humaira, T., Ramesh, D. 2015. Design, Optimization and Evaluation of Glipizide Solid Self-Nanoemulsifying Drug Delivery for Enhanced Solubility and Dissolution, *Saudi Pharmaceutical Journal*, 23(5), 528-540.

Diba, R.F., Yasni, S., Yuliani, S. 2014. Nanoemulsifikasi Spontan Ekstrak Jintan Hitam dan Karakteristik Produk Enkapsulasinya (Spontaneous Nanoemulsification of Black Cumin Extract and the Characteristics of

Encapsulation Product), *Jurnal Teknologi dan Industri Pangan*, 25(2), 134.

Gohel, M., Purohit, A., Patel, A., Hingorani, L. 2016. Optimization of Bacoside A. Loaded SNEDDS Using D-Optimum Mixture Design for Enhancement Insolubility and Bioavailability, *International Journal of Pharmacy and Pharmaceutical Sciences*, 8(12), 213-220.

Gurning, H.E.T. 2016. Formulasi Sediaan Losio Dari Ekstrak Kulit Buah Nanas (Ananas Comosus L.(Merr)) Sebagai Tabir Surya. *Pharmacon*, 5(3), 2302-2493.

Hutabarat, R. 2012. Sintesis dan Karakteristik Fotokatalis Fe^{2+}-ZnO Berbasis Zeolit Alam, Universitas Indonesia, Jakarta.

Idaho. 2008. Sunscreen and Skin Self-Checks Frequently Asked Questions, Department Of Health and Welfare.

Jeevana, J.B., Sreelakshmi, K. 2011. Design and Evaluation of Self-Nanoemulsifying Drug Delivery System of Flutamide. *Journal of Young Pharmacists*, 3(1), 1-4.

Lolo, W.A., Sudewi, S., Edy, H.J. 2017. Determination Sun Protecting Factor (SPF) Of Krokot Herbs Extract (Portulacaoleracea L.), *Journal of Pharmaceutical Science and Clinical Research*, 2(1), 1-5.

Martorano, L.M., Stork, C.J., Li, Y.V. 2010. UV Irradiation- Induced Zinc Dissociation from Commercial Zinc Oxide Sunscreen and Its Action in Human Epidermal Keratinocytes, *Journal of cosmetic dermatology*, 9(4), 276-286.

Moore, W. 1982, *Harry's Cosmeticology* (7th ed), Godwin, 3(6), 247-254.

Patel, J., Patel, A., Raval, M., Sheth, N. 2011. Formulation and Development of a Self-Nanoemulsifying Drug Delivery System of Irbesartan, *Journal of Advanced Pharmaceutical Technology and Research*, 2(1), 9-15.

Pratiwi, L., Fudholi, A., Martien, R., Pramono, S. 2017. Self-Nanoemulsifying Drug Delivery System (SNEDDS) for Topical Delivery of Mangosteen Peels (Garcinia Mangostana L.,): Formulation Design and In Vitro Studies. *Journal of Young Pharmacists*, 9(3).

Rowe, R.C., Shesky, P.J., Quinn M.E. 2009. *Handbook of Pharmaceutical Exipients*. London: Pharmaceutical Press.

Sarker, A., Shimu, I.J.S., Tuhin, R.H., Raju, A.A. 2015. Nanoemulsion: An Excellent Mode for Delivery of Poorly Soluble Drug through Different Routes. *Journal of Chemical and Pharmaceutical Research*, 7(12), 966-976.

Savale, S.K. 2015. A Review – Self Nanoemulsifying Drug Delivery System (SNEDDS). *International Journal of Research in Pharmaceutica and Nano Sciences*, 4(6), 385-397.

Saryanti, D. 2016. Optimasi Self-Nanoemulsifying Drug Delivery System Ekstrak Akar Purwoceng Gunung (*Artemisia lactiflora* wall ex. DC) dan Uji Absorpsi secara In Vitro. Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.

Setyorini, H.A., Kurniatri, A.A., Adelina, R., Winarsih. 2016. Karakterisasi Mutu Ekstrak Daun Sirsak (*Annona muricata* L.) dari Tiga Tempat Tumbuh. *Buletin Penelitian Kesehatan*, 44(4), 279-286.

Shibula, K., Velavan, S. 2016. Determination of Bioactive Compounds in *Annona muricata* Leaf Extract. *Journal of Bioscience and Technology*, 7(3), pp. 762-768.

Suharyanto, B. Prasetyo, R. 2004. Melanoma Maligna dan Permasalahannya. *Berkala Ilmu Penyakit Kulit dan Kelamin* FK UNAIR, 16(2).

Suliatin, T. 2017. Optimasi Formula *Self Nano-Emulsifying Drug Delivery System* (SNEDDS) Tetrahidrokurkumin menggunakan *D-Optimal Design*. Fakultas Farmasi, Universitas Muhammadiyah Purwokerto, Purwokerto.

Winarti, L., Martien, R., Suwaldi, Hakim, L. 2016. An Experiment Design of SNEDDS Template Loaded with Bovine Serum Albumin and Optimization Using D-Optimum. *International Journal of*

Pharmaceutical and Clinical Research, 8(5), 425-432.

Yulianti, E., Adelsa, A., Putri, A. 2016. Penentuan nilai SPF (Sun Protection Factor) Ekstrak Etanol 70% Temu Mangga (Curcuma mangga) dan Krim Ekstrak Etanol 70% Temu Mangga (Curcuma mangga) secara In Vitro Menggunakan Metode Spektrofotometri. *Majalah Kesehatan FKUB*, 2(1).

Zen, N.I.M., Gani, S.S.A., Shamsudin, R., Masoumi, H.R.F. 2015. The Use of D-Optimum Mixture Design in Optimizing Development of Okara Tablet Formulation as a Dietary Supplement. *The Scientific World Journal*, 1-7